Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	35	(Yehia with El with Ibiary) (Yehia with ElIbiary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 08:45
L5	1780	RELIANCE with ELECTRIC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 08:45
L6	1797	4 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 08:45
L7	41	6 and motor and resistance and cable and input and electrical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 08:57
L8	5	6 and (motor with (estimate estimating estimaton)) and (resistance with cable) and (electrical with input) and (electrical with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:02
L9	2	6 and (motor with (estimate estimating estimaton)) and (resistance with cable) and (electrical with input) and (electrical with parameter) and (database (data with storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:38
L10	2	6 and (motor with (estimate estimating estimation)) and (electrical with input) and (electrical with parameter) and (database (data with storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:04
L11	6	("20020079859" "6035265" "6042265" "6138078" "6236947" "6434491").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/11 09:08
L12	0	("6862538").URPN.	USPAT	OR	ON	2006/03/11 09:15
L13	0	("6862538").URPN.	USPAT	OR	ON	2006/03/11 09:15

L14	2	6 and (motor with (estimate estimating estimaton)) and (resistance with cable) and (electrical with input) and (electrical with parameter) and (((testing test) with (data record)) with (database (data with storage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:22
L15	2	(motor with (estimate estimating estimaton)) and (resistance with cable) and (electrical with input) and (electrical with parameter) and (((testing test) with (data record)) with (database (data with storage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:22
L16	9	(motor with (estimate estimating estimaton)) and (resistance with cable) and (electrical with input) and (electrical with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:24
L17	838	(motor near (estimate estimating estimation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:33
L18	4	17 and (resistance with cable) and (electrical with input) and (electrical with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:26
L19	1	"6042265".pn.	USPAT	OR	ON	2006/03/11 09:26
L20	0	"6042265".pn. and cable	USPAT	OR	ON	2006/03/11 09:26
L21	11	17 and (resistance with cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:37
L22	5	17 and (resistance with cable) and (database (data with storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:30

3/11/06 9:41:47 AM C:\Documents and Settings\mnghiem\My Documents\EAST\Workspaces\default.wsp Page 2

L23	7	17 and (resistance with cable) and (database storage memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:30
L24	471	(motor with (estimate estimating estimation) with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:31
L25	5	24 and (resistance with cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:32
L26	1222	(motor near (estimate estimating estimation diagnosis diagnostic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:33
L27	13	26 and (resistance with cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:34
L28	6	("4204425" "4567419" "4670698" "4780658" "4789834" "4801877").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/11 09:36
L29	3	("6066934").URPN.	USPAT	OR	ON	2006/03/11 09:37
L30	9	28 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:37
L31	0	30 and (resistance with cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:40

L32	3	30 and (database memory (data with storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:40
L33	0	30 and ((test testing) with (database memory (data with storage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:41
L34	10	("3753064" "4041361" "4672288" "4761703" "4914386" "4926105" "5345158" "5480220" "5677606" "Re34039").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/11 09:39
L35	3	("6042265").URPN.	USPAT	OR	ON	2006/03/11 09:40
L36	13	34 35	USPAT	OR	ON	2006/03/11 09:40
L37	1	36 and (resistance with cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/03/11 09:40
L38	5	36 and (database memory (data with storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:40
L39	0	36 and ((test testing) with (database memory (data with storage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 09:41

Page 4

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L42	3187	(cable near resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:17
L43	2	(cable near resistance) with (gauge) with (length) with temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:27
L44	1	(cable near (resistance impedance)) with gauge with (phase) with length with temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:27
L45	23	(cable near resistance) same (gauge) same (length) same temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:36
L46	7	(cable near resistance) same (gauge) same (length) same temperature same phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:29
L47	3	45 and ((database storage memory) with (test testing operation operational power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:39
L48	7	45 and ((database storage memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:43
L49	3	45 and ((database storage memory)) and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 10:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L51	2	(determine determining determination measure mesauring measurement) with (cable) with (resistance impedance) with (input) with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 11:38
L52	8	((determine determining determination measure mesauring measurement) with (cable) with (resistance impedance)) same ((input) with motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 11:37
L53	400	(determine determining determination measure mesauring measurement) same (cable) same (resistance impedance) same (input) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 11:38
L54	16	((determine determining determination measure mesauring measurement) with (cable) with (resistance impedance)) same (input) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 11:38
L55	8	54 not(52)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 11:38